

In re Patent Application of:  
**FLICK**  
Serial No. 10/043,077  
Confirmation No. 6614  
Filed: JANUARY 9, 2002

---

In the Claims:

This listing of claims replaces all prior versions and listings of claims in the application.

Claims 1-17 (Canceled).

18. (Currently amended) A vehicle control system for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, a vehicle alarm indicator connected thereto, and an instrument panel carrying the vehicle alarm indicator, the vehicle control system comprising:

at least one uniquely coded transmitter to be carried by a user;

a receiver at the vehicle for receiving signals from said at least one uniquely coded transmitter; and

a controller at the vehicle spaced apart from the vehicle alarm indicator, communicating with the vehicle alarm indicator via the vehicle data communications bus, and cooperating with said receiver and the vehicle data communications bus for

learning the at least one uniquely coded transmitter to permit control of a vehicle function by the user,

communicating with the vehicle alarm indicator via said data communications bus to cause an indication of whether at least one new uniquely coded transmitter has been learned, and

In re Patent Application of:

**FLICK**

Serial No. **10/043,077**

Confirmation No. **6614**

Filed: **JANUARY 9, 2002**

---

causing the vehicle alarm indicator to  
generate an indication of a number of learned  
uniquely coded transmitters.

19. (Previously Presented) A vehicle control system according to Claim 18 wherein the vehicle alarm indicator comprises at least one of a light, a visual display, a vibration transducer, a speech message generator, and an audible signal generator.

20. (Canceled).

21. (Original) A vehicle control system according to Claim 18 wherein the vehicle further comprises a vehicle sensor; and wherein said controller communicates with the vehicle sensor via the vehicle data communications bus.

22. (Canceled).

23. (Original) A vehicle control system according to Claim 18 wherein the vehicle further comprises a controllable vehicle device; and wherein said controller communicates with the controllable vehicle device via the vehicle data communications bus.

Claims 24-29. (Canceled).

In re Patent Application of:

**FLICK**

Serial No. **10/043,077**

Confirmation No. **6614**

Filed: **JANUARY 9, 2002**

---

30. (Previously Presented) A vehicle control system for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, a vehicle alarm indicator connected thereto, and an instrument panel carrying the vehicle alarm indicator, the vehicle control system comprising:

a biometric characteristic sensor for sensing a unique biometric characteristic of a user; and

a controller at the vehicle spaced apart from the vehicle alarm indicator and cooperating with said biometric characteristic sensor and the vehicle data communications bus for

communicating with the vehicle alarm indicator via the data communications bus,

learning the unique biometric characteristic to permit control of a vehicle function by the user, and

communicating with the vehicle alarm indicator via the vehicle data communications bus to cause an indication of whether at least one new unique biometric characteristic has been learned.

31. (Canceled).

In re Patent Application of:

**FLICK**

Serial No. **10/043,077**

Confirmation No. **6614**

Filed: **JANUARY 9, 2002**

---

32. (Previously Presented) A vehicle control system according to Claim 30 wherein the vehicle alarm indicator comprises at least one of a light, a visual display, a vibration transducer, a speech message generator, and an audible signal generator.

Claims 33-38 (Canceled).

39. (Previously presented) A vehicle control system according to Claim 30 wherein said controller is switchable to a learning mode to permit learning of a new unique biometric characteristic; and wherein said controller causes an indication that the learning mode has been entered.

40. (Original) A vehicle control system according to Claim 39 wherein said controller causes an indication when the learning mode has last been entered.

41. (Original) A vehicle control system according to Claim 39 wherein said controller causes an indication for progressively indicating a passage of time since the learning mode has last been entered.

42. (Previously presented) A vehicle control system according to Claim 30 wherein said controller causes an indication of a number of learned unique biometric characteristics.

In re Patent Application of:

**FLICK**

Serial No. **10/043,077**

Confirmation No. **6614**

Filed: **JANUARY 9, 2002**

---

43. (Previously presented) A vehicle control system according to Claim 30 wherein said controller causes an indication of a change in a number of learned unique biometric characteristics.

44. (Previously presented) A vehicle control system according to Claim 30 wherein said controller causes an indication of a change in a learned unique biometric characteristic.

45. (Original) A vehicle control system according to Claim 30 wherein said biometric sensor comprises at least one of a fingerprint sensor, a voice pattern sensor, a facial pattern sensor, a skin pattern sensor, a hand pattern sensor, a venous pattern sensor and a retinal pattern sensor.

Claims 46-56 (Canceled).

57. (Previously Presented) A vehicle control method for a vehicle comprising a vehicle data communications bus extending throughout the vehicle, a vehicle alarm indicator connected thereto, and an instrument panel carrying the vehicle alarm indicator, the method comprising:

sensing a unique biometric characteristic of a user from a biometric characteristic sensor; and

using a controller at the vehicle spaced apart from the vehicle alarm indicator and cooperating with the biometric

In re Patent Application of:

**FLICK**

Serial No. **10/043,077**

Confirmation No. **6614**

Filed: **JANUARY 9, 2002**

---

characteristic sensor and the vehicle data communications bus  
for

communicating with the vehicle alarm  
indicator via the data communications bus,  
learning the unique biometric  
characteristic to permit control of a vehicle  
function by the user, and  
communicating with the vehicle alarm  
indicator via the vehicle data communications bus to  
cause an indication of whether at least one new  
unique biometric characteristic has been learned.

58. (Canceled).

59. (Previously Presented) A method according to  
Claim 57 wherein the vehicle alarm indicator comprises at  
least one of a light, a visual display, a vibration  
transducer, a speech message generator, and an audible signal  
generator.

Claims 60-63 (Canceled).

64. (Previously presented) A method according to  
Claim 57 wherein said controller is switchable to a learning  
mode to permit learning of a new unique biometric  
characteristic; and wherein said controller causes an  
indication that the learning mode has been entered.

In re Patent Application of:

**FLICK**

Serial No. **10/043,077**

Confirmation No. **6614**

Filed: **JANUARY 9, 2002**

---

65. (Previously presented) A method according to Claim 57 wherein said controller causes an indication of a number of learned unique biometric characteristics.

66. (Previously presented) A method according to Claim 57 wherein said controller causes an indication of a change in a number of learned unique biometric characteristics.

67. (Previously presented) A method according to Claim 57 wherein said controller causes an indication of a change in a learned unique biometric characteristic.